

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5497490".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:06
S2	2	"5530862".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:12
S3	2	"5740431".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:12
S4	2	"5781710".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:13
S5	2	"5787288".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:10
S6	2	"5877966".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:12
S7	2	((("5951680") or ("5951680"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 16:14
S8	2	("6112256").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 16:16

S9	139	709/223-224, "221".ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:17
S10	0	709/223,224, "221".ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:17
S11	7423	709/221,223,224.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:18
S12	4	S11 and manag\$3 with (network near3 device\$1) with (facsimile and printer and scan\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 16:19
S13	41	S11 and (manag\$3 with (network near3 device\$1)) and (facsimile and printer and scan\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:01
S14	0	(manag\$3 with multifunction with pheripheral\$1) and reconfigur\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:03
S15	0	(manag\$3 with multifunction with pheripheral\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:03
S16	5	S11 and (detect\$3 adj2 reconfiguration) and trigger\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:13

S17	10	S11 and (detect\$3 adj2 reconfiguration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:21
S18	42977	trigger with detect\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:22
S19	174	S18 and S11	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:22
S20	154	S19 and monitor\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 17:23
S21	2	("5696701").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 18:09
S22	2	((("6550017.pn.") or ("6550017")). PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/05 18:09
S23	2	("20010025312").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/06 12:47
S24	5	version with profile with (network adj device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 11:16

S25	94	device adj2 profile and version with program	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:44
S26	0	provid\$3 with (version adj number) with administrator	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 11:55
S27	288	provid\$3 with (version adj number)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 11:56
S28	27	provid\$3 with (version adj number) and profile	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:07
S29	296	provid\$3 with (version adj (\number or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:07
S30	296	provid\$3 with (version adj (number or identification))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:07
S31	6	profile with (allowed adj3 (software or program or driver))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:32
S32	0	(profile or (preset adj profile) or policy) and (provide near3 version)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:46

S33	0	(profile or (preset adj profile) ) and (provide near3 version)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:46
S34	657286	(profile or (preset adj profile) )	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:47
S35	0	S34 and provide with (progam near3 version)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 12:47
S36	4	reconfigurat\$3 with multifunction with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:29
S37	9010	configurat\$3 with (multifunction or imag\$3) with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:30
S38	137	configurat\$3 with (multifunction) with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:32
S39	652	reconfigur\$5 with (transmit\$3 or send\$3) with network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:33
S40	2	S39 and receiv\$3 near3 network near3 confirmation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:34

S41	10	S39 and (receiv\$3 near3 network) with (confirmation or notif\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:37
S42	4	S39 and (receiv\$3 near3 network) with confirmation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:38
S43	458	multifunction with network with device\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:38
S44	206	S43 and configur\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:38
S45	1	S44 and (send\$3 or transmit\$3) with config\$3 with network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:39
S46	17	S44 and (send\$3 or transmit\$3) with config\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:39